

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of the claims in the application:

**Listing of Claims:**

1-27 (Cancelled)

28. (Currently Amended) A method, comprising:

sensing a directional movement of a computer system on a surface via a first movement sensor; and

adjusting information displayed on a display of the computer system, wherein the information displayed is independent from the surface, and the adjusting is correlated to the directional movement of the computer system;

sensing external pressure on a perimeter of the display toward a movement sensor of the computer system, wherein the display of the computer system substantially overlaps the movement sensor of the computer system; and

translating the external pressure on a perimeter side of the display to a mouse click action associated with the perimeter side for the computer system.

29. (Previously Presented) The method of claim 28, wherein the first movement sensor is an optical sensor or a mechanical sensor.

30. (Previously Presented) The method of claim 28, wherein the directional movement comprises angular rotation of the computer system sensed by the first movement sensor and a second movement sensor;

31. (Previously Presented) The method of claim 28, further comprising:

correlating the directional movement of the computer system to a cursor movement on the display of the computer system.

32. (cancelled)

33. (Currently Amended) A method, comprising:

sensing external pressure on a perimeter of a first section of a computer system toward a second section of the computer system, wherein the first section of the computer system comprises a display, and the first section of the computer system substantially overlaps the second section of the computer system; ~~and~~

translating the external pressure on a perimeter side of the first section to a mouse clicking action associated with the perimeter side for the computer system.

34. (Previously Presented) The method of 33, wherein the second section of the computer system comprises a movement sensor.

35. (Currently Amended) The method of 33, wherein the external pressure may be applied ~~toward~~ at the perimeter of the first section of the computer system.

36. (cancelled).

37. (Currently Amended) A computer-readable storage medium having stored thereon sequences of instructions which are executable by a computer system, and which, when executed by the computer system, cause the computer system to perform a method, comprising:

sensing a directional movement of the computer system on a surface via a movement sensor; ~~and~~

adjusting information displayed on a display of the computer system, wherein the information displayed is independent from the surface, and the adjusting is correlated to the directional movement of the computer system;

sensing external pressure on a perimeter of the display toward a movement sensor of the computer system, wherein the display of the computer system substantially overlaps the movement sensor of the computer system; and

translating the external pressure on a perimeter side of the display to a mouse click action associated with the perimeter side for the computer system.

38. (Currently Amended) A computer-readable storage medium having stored thereon sequences of instructions which are executable by a computer system, and which, when executed by the computer system, cause the computer system to perform a method, comprising:

sensing external pressure on a perimeter of a first section of the computer system toward a second section of the computer system, wherein the first section of the computer system comprises a display, and the first section of the computer system substantially overlaps the second section of the computer system; and

translating the external pressure on a perimeter side of the first section to a mouse clicking action associated with the perimeter side for the computer system.